



FROM RESEARCH
TO PRODUCTION
WITH PYTORCH

JEFF SMITH
ENGINEERING MANAGER
FACEBOOK AI



AGENDA

01

WHAT IS PYTORCH

02

RESEARCH TO PRODUCTION

03





PRODUCTION PYTORCH


04

ECOSYSTEM


05

RESOURCES FOR DEVELOPERS







TRANSLATION



SPARK AR



OCULUS VR



BLOOD DONATIONS





400T+

PREDICTIONS PER DAY



1B+


PHONES RUNNING NEURAL NETS GLOBALLY



WHAT IS PYTORCH?



WHAT IS PYTORCH?







TORCH.NN

NEURAL NETWORKS

TORCH.OPTIM

OPTIMIZERS

TORCH.VISION

MODELS, DATA

TORCH.JIT

TORCH SCRIPT DEPLOYMENT

TORCH.AUTOGRAD

AUTO DIFFERENTIATION

TORCH.DATA

DATASETS & DATA LOADERS

DEFINING OUR NET

THE FORWARD PASS

LOADING DATA, MISC

TRAINING

```
import torch
```

```
class Net(torch.nn.Module):
```

```
    def __init__(self):
```

```
        self.fc1 = torch.nn.Linear(8, 64)
```

```
        self.fc2 = torch.nn.Linear(64, 1)
```

DEFINING OUR NET

THE FORWARD PASS

LOADING DATA, MISC

TRAINING

```
import torch
```

```
class Net(torch.nn.Module):
```

```
    def __init__(self):
```

```
        self.fc1 = torch.nn.Linear(8, 64)
```

```
        self.fc2 = torch.nn.Linear(64, 1)
```

DEFINING OUR NET

THE FORWARD PASS

LOADING DATA, MISC

TRAINING

```
def forward(self, x):  
    x = torch.relu(self.fc1.forward(x))  
    x = torch.dropout(x, p=0.5)  
    x = torch.sigmoid(self.fc2.forward(x))  
    return x
```

DEFINING OUR NET

THE FORWARD PASS

LOADING DATA, MISC

TRAINING

```
def forward(self, x):  
    x = torch.relu(self.fc1.forward(x))  
    x = torch.dropout(x, p=0.5)  
    x = torch.sigmoid(self.fc2.forward(x))  
    return x
```

DEFINING OUR NET

THE FORWARD PASS

LOADING DATA, MISC

TRAINING

```
net = Net()
```

```
data_loader = torch.utils.data.DataLoader(  
    torchvision.datasets.MNIST('./data'))
```

```
optimizer = torch.optim.SGD(net.parameters())
```

DEFINING OUR NET

THE FORWARD PASS

LOADING DATA, MISC

TRAINING

```
net = Net()
```

```
data_loader = torch.utils.data.DataLoader(  
    torchvision.datasets.MNIST('./data'))
```

```
optimizer = torch.optim.SGD(net.parameters())
```

DEFINING OUR NET

THE FORWARD PASS

LOADING DATA, MISC

TRAINING

```
for epoch in range(1, 11):
    for data, target in data_loader:
        optimizer.zero_grad()
        prediction = net.forward(data)
        loss = F.nll_loss(prediction, target)
        loss.backward()
        optimizer.step()
    if epoch % 2 == 0:
        torch.save(net, "net.pt")
```



RESEARCH TO PRODUCTION



RESEARCH TO PRODUCTION




RESEARCH TO PRODUCTION





RESEARCH TO PRODUCTION




1

DETERMINE
APPROACH




RESEARCH TO PRODUCTION






RESEARCH TO PRODUCTION




1

DETERMINE
APPROACH




2

PREPARE
DATA




3

BUILD AND
TRAIN
MODEL






RESEARCH TO PRODUCTION






RESEARCH TO PRODUCTION




1

DETERMINE
APPROACH




2

PREPARE
DATA




3

BUILD AND
TRAIN
MODEL



4

TRANSFER
MODEL TO
PRODUCTION




5

DEPLOY
AND SCALE




RESEARCH TO PRODUCTION






RESEARCH TO PRODUCTION




1

DETERMINE
APPROACH





2

PREPARE
DATA



3

BUILD AND
TRAIN
MODEL




5

DEPLOY
AND SCALE




RESEARCH TO PRODUCTION
















RESEARCH TO PRODUCTION


















HARDWARE EFFICIENCY




OPTIMAL PERFORMANCE ON
CPU/GPU/ASIC









SCALABILITY





TRAINING ON HUGE DATASETS
BILLIONS OF INFERENCE PER SECOND










CROSS-PLATFORM

EMBEDDED OR MOBILE DEVICES
CONSTRAINED SYSTEM ENVIRONMENTS





RELIABILITY

TRAINING JOBS RUNNING FOR WEEKS
100S OF GPUS




TORCH.JIT TO CAPTURE AND OPTIMIZE PYTORCH CODE


TORCH.JIT TO CAPTURE AND OPTIMIZE PYTORCH CODE



EXPERIMENT



EXTRACT
TORCHSCRIPT




OPTIMIZE AND
DEPLOY



LEVERAGING TORCH.JIT



LEVERAGING TORCH.JIT




colab

DEMO


SHARED DOMAIN CODEBASE

PYTORCH



SHARED DOMAIN CODEBASE

PYTORCH



PYTEXT IN MESSENGER



PYTEXT IN MESSENGER




Real Time



Designed to Scale



Different Languages





PYTEXT RESEARCH TO PRODUCTION CYCLE



PYTEXT RESEARCH TO PRODUCTION CYCLE

NEW IDEA / PAPER

PYTEXT

MODEL AUTHORIZING



TRAINING




EVALUATION



PARAMETER SWEEPING




PYTEXT RESEARCH TO PRODUCTION CYCLE






PYTEXT RESEARCH TO PRODUCTION CYCLE






PYTEXT RESEARCH TO PRODUCTION CYCLE






PERSONALIZED CANCER VACCINES

PERSONALIZED CANCER THERAPY



LEVERAGING THE
IMMUNE SYSTEM AND
AI TO FIGHT CANCER





PREDICTIVE DRIVER ASSISTANCE












LIBRARIES: OPTIMIZATION




BAYESOPT AT FACEBOOK | HYPERPARAMETER OPTIMIZATION






BAYESOPT AT FACEBOOK | HYPERPARAMETER OPTIMIZATION







BAYESOPT AT FACEBOOK | HYPERPARAMETER OPTIMIZATION







BAYESOPT AT FACEBOOK | HYPERPARAMETER OPTIMIZATION







BAYESOPT AT FACEBOOK | HYPERPARAMETER OPTIMIZATION





BAYESOPT AT FACEBOOK | HYPERPARAMETER OPTIMIZATION








UN-FRAMEWORK FOR
BAYESIAN OPTIMIZATION




BUILT ON PYTORCH




PROBABILISTIC MODELING
IN GPYTORCH

BOTORCH


PYTORCH



DOMAIN-AGNOSTIC
ABSTRACTIONS



DEPLOYMENT



AUTOMATION


AX



UN-FRAMEWORK FOR
BAYESIAN OPTIMIZATION



BUILT ON PYTORCH



PROBABILISTIC MODELING
IN GPYTORCH

BOTORCH


PYTORCH



ADAPTIVE EXPERIMENTATION FOR NEWS FEED RANKING



ADAPTIVE EXPERIMENTATION FOR NEWS FEED RANKING





AX

AX.DEV



BOTORCH


BOTORCH.ORG



GIVING BACK TO THE COMMUNITY




GIVING BACK TO THE COMMUNITY



BOTORCH



PYTEXT



TRANSLATE



HORIZON




DEVELOPER RESOURCES



FULL STACK APPROACH




FULL STACK APPROACH





FULL STACK APPROACH



HOUSE3D, CLEVER

FAI3.5B, RESNEXT3D

PYTEXT, HORIZON,
DETECTRON, TRANSLATE


PYTORCH 1.0

GLOW, TVM

ZION, BIG BASIN, TIOGA PASS



PYTORCH ECOSYSTEM



EASY ON-BOARDING IN THE CLOUD

AMAZON
WEB SERVICES

MICROSOFT
AZURE

GOOGLE CLOUD
PLATFORM

Quick Access is disabled. To turn it on, change your Web & App Activity setting.

Project info

- Project name: fairing-demo
- Project ID: caip-dexter-bugbash
- Project number: 186211638407

[Go to project settings](#)

Resources

- Compute Engine: 18 instances
- Storage: 16 buckets



Trace

No trace data from the past 7 days

[Get started with Stackdriver Trace](#)

Getting Started

- API: Explore and enable APIs
- Deploy a prebuilt solution
- Add dynamic logging to a running application
- Monitor errors with Error Reporting
- Deploy a Hello World app



Google Cloud Platform status

Google Cloud Networking incident #19007
Cloud Router issue in us-central1
Began at 2019-04-04 (16:07:03)

All times are US/Pacific
Data provided by status.cloud.google.com

[Go to Cloud status dashboard](#)

Billing

Estimated charges: USD \$855.73
For the billing period Apr 1 - 4, 2019

[View detailed charges](#)

Error Reporting

Top errors in last 24 hours

- 6 **NEW** AttributeError: predict()(seldon_methods.py)
- 6 **NEW** TypeError: client_predict()(user_model.py)
- 6 **NEW** File "<ipython-input-5-f0f2473b0796>", line 27, in predict: client_predict()(user_model.py)

[Go to Error Reporting](#)

News

Announcing the Cloud Healthcare API beta: Improving data access and shareability across organizations
5 hours ago

Quick Access is disabled. To turn it on, change your Web & App Activity setting.

Project info

- Project name: fairing-demo
- Project ID: caip-dexter-bugbash
- Project number: 186211638407

[Go to project settings](#)

Resources

- Compute Engine: 18 instances
- Storage: 16 buckets


Trace

No trace data from the past 7 days

[Get started with Stackdriver Trace](#)

Getting Started

- API: Explore and enable APIs
- Deploy a prebuilt solution
- Add dynamic logging to a running application
- Monitor errors with Error Reporting
- Deploy a Hello World app



Google Cloud Platform status

Google Cloud Networking incident #19007
Cloud Router issue in us-central1
Began at 2019-04-04 (16:07:03)

All times are US/Pacific
Data provided by status.cloud.google.com

[Go to Cloud status dashboard](#)

Billing

Estimated charges: USD \$855.73
For the billing period Apr 1 - 4, 2019

[View detailed charges](#)

Error Reporting


Top errors in last 24 hours

- 6 **NEW** AttributeError: predict()(seldon_methods.py)
- 6 **NEW** TypeError: client_predict()(user_model.py)
- 6 **NEW** File "<ipython-input-5-f0f2473b0796>", line 27, in predict: client_predict()(user_model.py)

[Go to Error Reporting](#)

News

Announcing the Cloud Healthcare API beta: Improving data access and shareability across organizations
5 hours ago





Thanks to Nick Felt (Google), William Chargin (Google), Mani Varadarajan (Google), Orion Reblitz-Richardson (FB), Tzu-Wei Huang



EDUCATION

PyTorch is now the
second-fastest growing
open source project on GitHub







SOME OF THE CLASSES BASED ON PYTORCH:



PRIVACY IN AI - FREE COURSE



FACEBOOK FUNDING
300 SCHOLARSHIPS TO
CONTINUE EDUCATION



FULL CURRICULUM OF DL
COURSES TAUGHT WITH
PYTORCH



fast.ai



OVER 1.5 MILLION MINUTES
VIEWING TIME PER MONTH



100K MONTHLY VIDEO VIEWS



GLOBAL COMMUNITY OF
STUDENTS FROM THE US TO
BENGALURU TO LAGOS



GET STARTED

Select preferences and run the command to install PyTorch locally, or get started quickly with one of the supported cloud platforms.

Start Locally

Start via Cloud Partners

Previous PyTorch Versions

START LOCALLY


Select your preferences and run the install command. Stable represents the most currently tested and supported version of PyTorch 1.0. This should be suitable for many users. Preview is available if you want the latest, not fully tested and supported, 1.0 builds that are generated nightly. Please ensure that you have met the prerequisites below (e.g., numpy), depending on your package manager. Anaconda is our recommended package manager since it installs all dependencies. You can also [install previous versions of PyTorch](#). Note that LibTorch is only available for C++.

PyTorch Build


Stable (1.0)

Preview (Nightly)

PYTORCH




PYTORCH




EXPERIENCE INSTANTLY ON COLAB



GET STARTED ON THE CLOUD



INSTALL LOCALLY





JOIN THE PYTORCH DEVELOPER COMMUNITY

[FACEBOOK.COM/PYTORCH](https://www.facebook.com/pytorch)

[TWITTER.COM/PYTORCH](https://twitter.com/pytorch)

[PYTORCH.ORG](https://pytorch.org)